



FPG


food display ■ retail solutions

FPG PRODUCT RANGE OVERVIEW

creating irresistible displays for food and drink.

FPG
food display ■ retail solutions

www.fpgworld.com



INLINE SERIES - 3000 CURVED COUNTERTOP AND FREESTANDING




OVERVIEW

Designed as a cost effective solution for café, kiosk and C-Stores, these cabinets provide a more economical solution, yet retain all the key benefits of the FPG product range. The Inline 3000 still comes with many of the features associated with the higher featured models such as moving air refrigeration. The Inline 3000's unique construction allows smart counter integration options of either recessed, top counter mounting, or freestanding. The Inline 3000 comes packed with features to enhance food presentation.

SIZES	800mm, 1200mm, 1500mm, 1800mm [Refrigerated and Controlled Ambient]
TEMPERATURES	Ambient, Controlled Ambient [+15°C - +18°C], Heated [Bain Marie [+30°C - +90°C], Refrigerated [+2°C - +4°C]
DOOR OPTIONS	Fixed Front Glass, Sliding Glass Door
SHELVING	2 x full width shelves + base, with optional third shelf
LIGHTING	50,000 hour LED lighting, with optional lighting to shelves 25,000 hour LED lighting [Heated]
INSTALLATION OPTIONS	Counter top, Recessed, Freestanding

KEY SELLING FEATURES




Designed to meet and exceed the following Compliances and Approvals :
IEC 335, AS/NZS 4417, AS/NZS 3182, IEC/AS/NZS 60335,
UL, NSF, AS/NZS 1731, EN 55014, EN 6100, AS/NZS 3820.



food display ■ retail solutions

creating irresistible displays for food and drink.

www.fpgworld.com



INLINE SERIES - 3000 SQUARE COUNTERTOP AND FREESTANDING




OVERVIEW

Designed as a cost effective solution for café, kiosk and C-Stores, these cabinets provide a more economical solution, yet retain all the key benefits of the FPG product range. The Inline 3000 still comes with many of the features associated with the higher featured models such as moving air refrigeration. The Inline 3000's unique construction allows smart counter integration options of either recessed, top counter mounting, or freestanding. The Inline 3000 comes packed with features to enhance food presentation.

SIZES	600mm, 900mm, 1200mm
TEMPERATURES	Ambient, Controlled Ambient [+15°C - +18°C], Heated [+30°C - +90°C], Refrigerated [+2°C - +4°C]
DOOR OPTIONS	Fixed Front Glass, Sliding Glass Door
SHELVING	2 x full width shelves + base, with optional third shelf
LIGHTING	50,000 hour LED lighting, with optional lighting to shelves 25,000 hour LED lighting [Heated]
INSTALLATION OPTIONS	Counter top, Recessed, Freestanding

KEY SELLING FEATURES



Designed to meet and exceed the following Compliances and Approvals :
IEC 335, AS/NZS 4417, AS/NZS 3182, IEC/AS/NZS 60335,
UL, NSF, AS/NZS 1731, EN 55014, EN 6100, AS/NZS 3820.



creating irresistible displays for food and drink.

www.fpgworld.com



INLINE SERIES - 4000 CURVED COUNTERTOP AND FREESTANDING



OVERVIEW

These food display cabinets offer a price competitive solution for the busy food service business wanting to display a large quantity or wide variety of food. Lighting and merchandising features are designed to create impact and increase sales. The Inline 4000 series is freestanding and available in a range of sizes and capacities. The cabinet comes ready to "plug in" which means installation is quick and easy. Unique construction allows smart counter integration options of either recessed, top counter mounting or freestanding.

SIZES 800mm, 1200mm, 1500mm, 1800mm [Refrigerated and Controlled Ambient]

TEMPERATURES Ambient, Controlled Ambient [$+15^{\circ}\text{C}$ - $+18^{\circ}\text{C}$], Heated [$+30^{\circ}\text{C}$ - $+90^{\circ}\text{C}$], Refrigerated [$+2^{\circ}\text{C}$ - $+4^{\circ}\text{C}$]

DOOR OPTIONS Fixed Front Glass, Sliding Glass Door

SHELVING 3 x full width shelves + base

LIGHTING 50,000 hour LED lighting, with optional lighting to shelves
25,000 hour LED lighting [Heated]

INSTALLATION OPTIONS Counter top, Freestanding

KEY SELLING FEATURES



Designed to meet and exceed the following Compliances and Approvals :
IEC 335, AS/NZS 4417, AS/NZS 3182, IEC/AS/NZS 60335,
UL, NSF, AS/NZS 1731, EN 55014, EN 6100, AS/NZS 3820.



creating irresistible displays for food and drink.

www.fpgworld.com



INLINE SERIES - 4000 SQUARE COUNTERTOP AND FREESTANDING



OVERVIEW

These food display cabinets offer a price competitive solution for the busy food service business wanting to display a large quantity or wide variety of food. Lighting and merchandising features are designed to create impact and increase sales. The Inline 4000 series is freestanding and available in a range of sizes and capacities. The cabinet comes ready to "plug in" which means installation is quick and easy. Unique construction allows smart counter integration options of either recessed, top counter mounting or freestanding.

SIZES	800mm, 1200mm, 1500mm, 1800mm [Refrigerated and Controlled Ambient]
TEMPERATURES	Ambient, Controlled Ambient [$+15^{\circ}\text{C}$ - $+18^{\circ}\text{C}$], Heated [$+30^{\circ}\text{C}$ - $+90^{\circ}\text{C}$], Refrigerated [$+2^{\circ}\text{C}$ - $+4^{\circ}\text{C}$]
DOOR OPTIONS	Fixed Front Glass, Sliding Glass Door
SHELVING	3 x full width shelves + base
LIGHTING	50,000 hour LED lighting, with optional lighting to shelves 25,000 hour LED lighting [Heated]
INSTALLATION OPTIONS	Counter top, Freestanding

KEY SELLING FEATURES



Designed to meet and exceed the following Compliances and Approvals :
IEC 335, AS/NZS 4417, AS/NZS 3182, IEC/AS/NZS 60335,
UL, NSF, AS/NZS 1731, EN 55014, EN 6100, AS/NZS 3820.



food display ■ retail solutions

www.fpgworld.com

creating irresistible displays for food and drink.



INLINE SERIES - 5000 CURVED FREESTANDING



OVERVIEW

FPG's premier cabinet used by multi-national corporate clients world wide. Designed for high volume and high customer serve operations. Increased capacity, robust design and individual shelf lighting enhance product offerings. The 5000 series cabinets are free standing and modular in section allowing any combination of Heated, Refrigerated and Ambient cabinets to be installed in a line. Available as tilt front glass or sliding doors at the same price. Cabinets are constructed in stainless steel on metal framing to allow custom joinery to be fitted and can be easily customised with a variety of options in existence. Added features of Low-E Argon filled double glazed glass and condensate evaporator tray for refrigeration condensate. Specialist applications are available in sandwich preparation, chicken, deli-style and multi-temperature zone options.

SIZES 800mm, 1200mm, 1500mm, 1800mm, 2400mm [Refrigerated and Controlled Ambient]

TEMPERATURES Ambient, Controlled Ambient [+15°C - +18°C], Heated [+30°C - +90°C], Refrigerated [+2°C - +4°C]

DOOR OPTIONS Fixed Front Glass, Sliding Glass Door

SHELVING 3 x full width shelves + base

LIGHTING 50,000 hour LED lighting, with optional lighting to shelves
25,000 hour LED lighting [Heated]

INSTALLATION OPTIONS Freestanding

MULTI TEMP ZONES Dual zone, Dual compressor, Horizontal split temperature, Vertical split temperature

KEY SELLING FEATURES



Designed to meet and exceed the following Compliances and Approvals :
IEC 335, AS/NZS 4417, AS/NZS 3182, IEC/AS/NZS 60335,
UL, NSF, AS/NZS 1731, EN 55014, EN 6100, AS/NZS 3820.



food display ■ retail solutions

creating irresistible displays for food and drink.

www.fpgworld.com



INLINE SERIES - 5000 SQUARE FREESTANDING



OVERVIEW

FPG's premier cabinet used by multi-national corporate clients world wide. Designed for high volume and high customer serve operations. Increased capacity, robust design and individual shelf lighting enhance product offerings. The 5000 series cabinets are free standing and modular in section allowing any combination of Heated, Refrigerated and Ambient cabinets to be installed in a line. Available as tilt front glass or sliding doors at the same price. Cabinets are constructed in stainless steel on metal framing to allow custom joinery to be fitted and can be easily customised with a variety of options in existence. Added features of Low-E Argon filled double glazed glass and condensate evaporator tray for refrigeration condensate. Specialist applications are available in sandwich preparation, chicken, deli-style and multi-temperature zone options.

SIZES 800mm, 1200mm, 1500mm, 1800mm, 2400mm [Refrigerated and Controlled Ambient]

TEMPERATURES Ambient, Controlled Ambient [+15°C - +18°C], Heated [+30°C - +90°C], Refrigerated [+2°C - +4°C]

DOOR OPTIONS Fixed Front Glass, Sliding Glass Door

SHELVING 3 x full width shelves + base

LIGHTING 50,000 hour LED lighting, with optional lighting to shelves
25,000 hour LED lighting [Heated]

INSTALLATION OPTIONS Freestanding

MULTI TEMP ZONES Dual zone, Dual compressor, Horizontal split temperature, Vertical split temperature

KEY SELLING FEATURES



Designed to meet and exceed the following Compliances and Approvals :
IEC 335, AS/NZS 4417, AS/NZS 3182, IEC/AS/NZS 60335,
UL, NSF, AS/NZS 1731, EN 55014, EN 6100, AS/NZS 3820.



food display ■ retail solutions

creating irresistible displays for food and drink.

www.fpgworld.com



Integral



Remote



Heated



Refrigerated

INLINE SERIES - 5000 OPEN FRONT



OVERVIEW

FPG's premier cabinet used by multi-national corporate clients world wide. Designed for high volume and high customer serve operations. Increased capacity, robust design and individual shelf lighting enhance product offerings. The 5000 series cabinets are free standing and modular in section allowing any combination of Heated, Refrigerated and Ambient cabinets to be installed in a line. Available as tilt front glass or sliding doors at the same price. Cabinets are constructed in stainless steel on metal framing to allow custom joinery to be fitted and can be easily customised with a variety of options in existence. Added features of Low-E Argon filled double glazed glass and condensate evaporator tray for refrigeration condensate. Specialist applications are available in sandwich preparation, chicken, deli-style and multi-temperature zone options.

SIZES

800mm

TEMPERATURES

Heated [$+65^{\circ}\text{C}$ - $+90^{\circ}\text{C}$], Refrigerated [$+2^{\circ}\text{C}$ - $+4^{\circ}\text{C}$]

DOOR OPTIONS

N/A

SHELVING

3 x full width shelves + base

LIGHTING

50,000 hour LED lighting, with optional lighting to shelves
25,000 hour LED lighting [Heated]

INSTALLATION OPTIONS

Freestanding

KEY SELLING FEATURES



Core Shield



Moisture Lock



Easy Clean



Long Life LEDs



Eco Heat



Therma Shield



ACR



MEPS Energy Efficiency



Compliance Tested



Free Flow Air Technology



Quality Components



Designed, Engineered & made in NZ



You Colour

Designed to meet and exceed the following Compliances and Approvals :
IEC 335, AS/NZS 4417, AS/NZS 3182, IEC/AS/NZS 60335,
UL, NSF, AS/NZS 1731, EN 55014, EN 6100, AS/NZS 3820.



FPG
food display ■ retail solutions

creating irresistible displays for food and drink.

www.fpgworld.com



INLINE SERIES - GN SERIES



SHOWING GN HEATED



SHOWING GN REFRIGERATED

OVERVIEW

FPG GN Series is the ideal choice for your buffet, salad bar or refrigerated food display.

With unique features such as a deep display well that holds 150mm GN pans and our three level adjustable base trays, you have the flexibility to merchandise with either GN pans or your own platters and bowls to create amazing food displays, while keeping food at a safe serving temperature. With FPG's GN series you can create a food presentation that looks fresh and tastes great. Easily installed into existing or new bench top counters, our GN series creates the complete integrated food service line up enabling you to create your own tailored solution.

SIZES

3pan, 4pan, 5pan, 6pan, 8pan

TEMPERATURES

Heated [$+65^{\circ}\text{C}$ - $+90^{\circ}\text{C}$], Refrigerated [$+2^{\circ}\text{C}$ - $+4^{\circ}\text{C}$]

GANTRY OPTIONS

Optional flat serve over, flat self serve, curved self serve

BASE

Adjustable base trays - reversible ice deck, optional GN pans

LIGHTING

50,000 hour LED lighting, 25,000 hour LED lighting [Heated]

INSTALLATION OPTIONS

Under mount, Over mount, Mobile [4pan, 6pan, 8pan]

KEY SELLING FEATURES



Designed to meet and exceed the following Compliances and Approvals :
IEC 335, AS/NZS 4417, AS/NZS 3182, IEC/AS/NZS 60335,
UL, NSF, AS/NZS 1731, EN 55014, EN 6100, AS/NZS 3820.



food display ■ retail solutions

creating irresistible displays for food and drink.

www.fpgworld.com

IDIS - BOTTLE CHILLER



SHOWING IDIS




SHOWING IDIS GEN2 WITH GLASS ENDS

OVERVIEW

The Inline Open Front Series delivers enhanced merchandising and performance through the use of doorless operation. Designed for checkout and fast lane impulse, Idis is a high capacity bottle/can chiller with a small footprint. Optional magazine racks on sides, and ambient top display allows for a wide range of products.

SIZES	600mm [Idis gen2], 1000mm, 1200mm [Idis gen2]
TEMPERATURES	Refrigerated [+2°C - +4°C]
DOOR OPTIONS	N/A
SHELVING	Idis - 2 x full width shelves + base, Idis gen2 - 3 x full width shelves + base
LIGHTING	50,000 hour LED lighting, with optional lighting to shelves
INSTALLATION OPTIONS	Freestanding

KEY SELLING FEATURES



Designed to meet and exceed the following Compliances and Approvals :
IEC 335, AS/NZS 4417, AS/NZS 3182, IEC/AS/NZS 60335,
UL, NSF, AS/NZS 1731, EN 55014, EN 6100, AS/NZS 3820.



creating irresistible displays for food and drink.

www.fpgworld.com

VISAIR - OPEN FRONT REFRIGERATED CABINET



SHOWING VISAIR



SHOWING VISAIR+

OVERVIEW

A system of open fronted temperature controlled cabinets which can be used in stand alone applications, in counter line ups or as a complete refrigerated island.

The Visair series offers a range of merchandising options to suit a variety of products and applications:

- Each shelving level is split so that complimentary products of different heights, shapes and sizes can be cross merchandised in the same Visair display without loss of valuable merchandising space
- Shelving height can be changed [without the use of tools] to suit particular products maximising display opportunities
- Telescopic runners on each individual shelving unit allows the display base to slide forward. Staff can then simply and easily rotate and restock displayed product
- Shelving can be flat or angled

SIZES

1000mm

TEMPERATURES

Visair - Refrigerated [+4°C - +8°C], Visair+ - Refrigerated [+2°C - +4°C]

DOOR OPTIONS

N/A

SHELVING

2 x full width shelves + base


LIGHTING

50,000 hour LED lighting, with optional lighting to shelves

INSTALLATION OPTIONS

Freestanding

KEY SELLING FEATURES



Designed to meet and exceed the following Compliances and Approvals :
IEC 335, AS/NZS 4417, AS/NZS 3182, IEC/AS/NZS 60335,
UL, NSF, AS/NZS 1731, EN 55014, EN 6100, AS/NZS 3820.



creating irresistible displays for food and drink.

www.fpgworld.com

TOWER REFRIGERATED CABINET



SHOWING TOWER 1200



SHOWING TOWER 800

OVERVIEW

Designed and engineered to provide optimal performance the Tower series offers a solution to increase sales through irresistible merchandising. Engineering excellence and robust build quality put us above the competition.

The Towers high capacity refrigerated display keeps your food and beverages looking and tasting fresh.

SIZES	800mm, 1200mm
TEMPERATURES	Refrigerated [+2°C - +4°C]
DOOR OPTIONS	Fixed Front Glass, Sliding Glass Door Rear
SHELVING	5 x full width shelves + base
LIGHTING	50,000 hour LED lighting, with optional lighting to shelves
INSTALLATION OPTIONS	Freestanding

KEY SELLING FEATURES



Designed to meet and exceed the following Compliances and Approvals :
IEC 335, AS/NZS 4417, AS/NZS 3182, IEC/AS/NZS 60335,
UL, NSF, AS/NZS 1731, EN 55014, EN 6100, AS/NZS 3820.



food display ■ retail solutions

creating irresistible displays for food and drink.

www.fpgworld.com



Ambient
Refrigerated



Heated
Refrigerated



Heated



Refrigerated

FUSION - HOT AND COLD CABINET



OVERVIEW

The Inline Open Front Series delivers enhanced merchandising and performance through the use of doorless operation. Designed for checkout and fast lane impulse, Idis is a high capacity bottle/can chiller with a small footprint. Optional magazine racks on sides, and ambient top display allows for a wide range of products.

SIZES	1000mm
TEMPERATURES	Heated Section [$+65^{\circ}\text{C}$ - $+90^{\circ}\text{C}$], Refrigerated Section [$+2^{\circ}\text{C}$ - $+4^{\circ}\text{C}$]
DOOR OPTIONS	N/A
SHELVING	1 x full width shelves + base [to each section]
LIGHTING	50,000 hour LED lighting, with optional lighting to shelves
INSTALLATION OPTIONS	Freestanding

KEY SELLING FEATURES



Core Shield



I Wave



Moisture Lock



Easy Clean



Long Life
LEDs



MEPS Energy
Efficiency



Compliance
Tested



Quality
Components



Designed,
Engineered
& made in NZ

Designed to meet and exceed the following Compliances and Approvals :
IEC 335, AS/NZS 4417, AS/NZS 3182, IEC/AS/NZS 60335,
UL, NSF, AS/NZS 1731, EN 55014, EN 6100, AS/NZS 3820.



food display ■ retail solutions

creating irresistible displays for food and drink.

www.fpgworld.com



Heated

LUMA - OPEN FRONT HEATED CABINET



OVERVIEW

Designed as a high capacity solution for C-Store and supermarket environments, the Luma display cabinet allows for doorless display and full product visuals. Luma cabinets are ideal for point-of-sale impulse, helping you increase your sales and deliver consumers what they want, where they want it.

SIZES	1000mm
TEMPERATURES	Heated [+65°C - +95°C]
DOOR OPTIONS	N/A
SHELVING	3 x full width shelves + base
LIGHTING	25,000 hour LED lighting, with optional lighting to shelves
INSTALLATION OPTIONS	Freestanding

KEY SELLING FEATURES



Core Shield



I Wave



Moisture Lock



Easy Clean



Long Life
LEDs



Eco Heat



MEPS Energy
Efficiency



Compliance
Tested



Quality
Components



Designed,
Engineered
& made in NZ

Designed to meet and exceed the following Compliances and Approvals :
IEC 335, AS/NZS 4417, AS/NZS 3182, IEC/AS/NZS 60335,
UL, NSF, AS/NZS 1731, EN 55014, EN 6100, AS/NZS 3820.



FPG
food display ■ retail solutions

creating irresistible displays for food and drink.

www.fpgworld.com



VISAIR - OPEN FRONT HEATED CABINET



SHOWING VISAIR HEATED 2400



SHOWING VISAIR HEATED 1200

OVERVIEW

A system of open fronted temperature controlled cabinets which can be used in stand alone applications, in counter line ups or as a complete refrigerated island.

The Visair series offers a range of merchandising options to suit a variety of products and applications:

- Each shelving level is split so that complimentary products of different heights, shapes and sizes can be cross merchandised in the same Visair display without loss of valuable merchandising space
- Shelving height can be changed [without the use of tools] to suit particular products maximising display opportunities
- Telescopic runners on each individual shelving unit allows the display base to slide forward. Staff can then simply and easily rotate and restock displayed product
- Shelving can be flat or angled

SIZES

1200mm, 2400mm

TEMPERATURES

Heated [+30°C - +90°C]

DOOR OPTIONS

N/A

SHELVING

1200mm - 2 x full width shelves + base, 2400mm - 4 x half width shelves + base


LIGHTING

25,000 hour LED lighting, with optional lighting to shelves

INSTALLATION OPTIONS

Freestanding

KEY SELLING FEATURES



Designed to meet and exceed the following Compliances and Approvals :
IEC 335, AS/NZS 4417, AS/NZS 3182, IEC/AS/NZS 60335,
UL, NSF, AS/NZS 1731, EN 55014, EN 6100, AS/NZS 3820.



creating irresistible displays for food and drink.

www.fpgworld.com

HYDRAZONE - BEVERAGE ISLAND



OVERVIEW

Designed as a high capacity solution for C-Store and supermarket environments, the Hydrazone includes doorless display and a LED lighting system to ensure full product visual.

Hydrazone cabinets are ideal for point-of-sale impulse, helping you increase your sales and deliver consumers what they want, where they want it.

SIZES	2000mm
TEMPERATURES	Refrigerated [+2°C - +8°C]
DOOR OPTIONS	N/A
SHELVING	N/A
LIGHTING	50,000 hour LED lighting
INSTALLATION OPTIONS	Freestanding

KEY SELLING FEATURES



Designed to meet and exceed the following Compliances and Approvals :
IEC 335, AS/NZS 4417, AS/NZS 3182, IEC/AS/NZS 60335,
UL, NSF, AS/NZS 1731, EN 55014, EN 6100, AS/NZS 3820.



food display ■ retail solutions

creating irresistible displays for food and drink.

www.fpgworld.com

FOOD QUALITY

FPG cabinets use technology to maintain the quality of food on display at its best for longer.



Core Shield[®]

Compliant to food safety standards required. Guaranteed to meet and hold core food product temperatures.



I Wave[®]

Infrared that is absorbed by the food, without heating the air and cabinet, for greater energy efficiency and customer safety.



Soft Air[®]

Carefully tuned air flows inside the cabinets reduce evaporation rates and maintain food quality, reducing waste.



Horizontal[®]
Split

Horizontal split display is two separate temperature controlled areas that can be individually adjusted between +2°C and +16°C.



Moisture Lock[®]

High cabinet humidity reduces drying out, maintains food quality which in turn reduces waste.



Real World[®]
Testing

FPG runs temperature tests with door openings equivalent to customers being served, to ensure food core temperature is maintained in your store not just in the test room.

CLEANING AND OPERATING

FPG cabinets are designed to be easy to clean and use.



Easy Clean[®]

Most components in cabinets are operator removable without tools, for simple efficient cleaning. No tools or service technicians are required.



Flip Up Elements[®]

Elements designed to easily lift up for cleaning.

ENERGY SAVING

Energy saving is core to FPG's design philosophy.



Long Life[®]
LED's

FPG has engineered a 50,000 hour* LED lighting system that is factory fitted, giving a variety of rendered light colours, greatly enhancing the presentation of your product.

*25,000 hour in heated cabinets



Eco Heat[®]

Low wattage density elements heat gently, which maintains food quality for longer resulting in reduced waste.



Therma[®]
Shield

Double glazed glass reduces energy loss to help maintain core product temperature and minimise energy costs.

Therma Shield = Double Glazed

Therma Shield+ = Double Glazed Argon Filled

Therma Shield++ = Double Glazed Argon Filled - Heated Glass



Auto Evap[®]

Evaporates condensate automatically. No bucket or drainage required.

*ACR = Automatic Condensate Removal



MEPS Energy
Efficiency

FPG cabinets are designed to meet MEPS energy efficiency standards. MEPS is mandatory in Australia and New Zealand.

DESIGN & QUALITY



Compliance[®]
Tested

Compliance tested to meet international standards.



Customer
Free Flow Air[®]
Staff
Technology

Cabinet air in and out are located at rear of the cabinet. Vents are not required on customer side.



Quality
Components[®]

Best in class quality components are used from around the world to ensure reliability.



Designed,
Engineered
& made in NZ

Cabinets designed and manufactured in New Zealand.




You Colour[®]

Customise your cabinets with colour inserts and powder coat colours.

24/7 LIVE SUPPORT



We stand by everything we sell for it's lifetime.



Robert Darroch
Managing Director | CEO

OUR TEAM


FPG's team of experts provides 24-hour assistance all year round with service & maintenance, as well as technical support. FPG technicians are on hand to help you troubleshoot and talk through any technical issues.

Each product comes with complete service and maintenance documentation, full spare parts lists and a seamless process which allows new parts to be sent within 24 hours. Full preventative maintenance and structured cleaning and servicing recommendations, mean the product will exceed expectations for an extended lifetime. Fast response times means the product is fixed without disruption to the customer.



ONLINE SUPPORT

FPG has a comprehensive online support centre, with a document library containing information for all FPG cabinets. Each cabinet has a specification sheet, a product brochure, CAD blocks and a product manual [containing installation information], which can all be downloaded.



www.fpgworld.com



IPAD



COMPUTER

creating irresistible displays for food and drink.





www.fpgworld.com

24/7 LIVE SUPPORT




LIVE TECH SUPPORT AND TRAINING

FPG trains technicians worldwide and offers best in class after sales support. By using skype as a tool, we are able to train technicians globally.



FPG TRAINED TECHNICIAN LOCATIONS



creating irresistible displays for food and drink.



www.fpgworld.com

FPG provides all its inline customers with market-leading after-sales support. Our Customer Service Centre operates 24 hours a day, seven days a week. By simply quoting your cabinet serial number the operator will have access to data. This ensures accurate information is passed on to a technician so that in the unlikelyhood of a problem, FPG will resolve it quickly and efficiently.



Australia
T 1800 041 649
F 1800 509 986
E ausales@fpgworld.com
4/42 Sabre Drive
Port Melbourne
Victoria 3207
Australia

China | Asia
T +86 21 3351 3390
F +86 21 3952 2356
E asales@fpgworld.com
Rm 104, Building 8
No.31 KaiXuan Road (S)
Shanghai 200232
P R China

Europe
T +31 6 52 53 47 69
E info@feconcepts.eu
DeZonkade 5
5247 MP Rosmalen
The Netherlands

New Zealand
T +64 6 843 3249
F +64 6 843 2466
E nzsales@fpgworld.com
110 Austin Street
P O Box 3029
Napier, 4110
New Zealand

United Kingdom
T +44 845 485 9300
E uksales@fpgworld.com
Unit 6 Churchill House
114 Windmill Road
Brentford, Middlesex
TW8 9NB
United Kingdom